

吴江华能电子有限公司



Wujiang Huaneng Electronics Co.,Ltd.

SOLAR GARDEN LIGHT



HUANENG LIGHTING

Professional
Manufacturer




Welcome contact:

ATTN:Jane Zhu

Tel: +86 177 6803 6560


E-Mail:jane.zhu@suzhou-huafeng.com





FEATURE

- Aluminium die-casting body
- PC diffuser
- IP44 ClassIII
- LED4.4W 600LM
- 1 × 2200MAH 3.7V



HN2305A-H0.5/0.8




HN2305A





HN2305B



HN2216




HN2216-H0.5/0.8




FEATURE

- Aluminium die-casting body
- PC diffuser
- IP44 ClassIII
- LED4.4W 600LM
- 1×2200MAH 3.7V






HN2105B



HN2105B-H0.5




FEATURE

- Aluminium die-casting body
- PC diffuser
- IP54 ClassIII
- LED4.4W 60-600LM
- 1×2200MAH 3.7V





HN2206-H0.5



HN2207-H0.5



HN2206





HN2207



FEATURE

- Aluminium die-casting body
- Tempered glass diffuser
- IP54 ClassIII
- LED 3W 360LM
- 2×1800MAH 3.7V





FEATURE

- ABS (black)
- PC diffuser
- IP54 ClassIII
- LED3W 30-300LM
- 1 × 1800MAH 3.7V

CE  IP44

 220Lumen 20Lumen	 SMD LED incl.	 3.7V-
 SENSOR I _{max} 10M±2M	 ~25 sec	 100°





HN2215A




HN2215B




HN2203A-SOLAR




HN2203B-SOLAR



HN2202A-SOLAR



HN2202B-SOLAR



HN2133

L:160 W:160 H:220

1*2200mAh
MAX. 1.8W
150 LM



HN2134

L:160 W:160 H:240



FEATURE


- ABS (BLACK) + Opal PC + Li-Lon Battery + Mirco C USB wire X 1M
- Battery: 4 X 1200mAh lithium battery;
- Charge time: 8-9 hours (Mirco C USB 5V 1A)
- Warranty: 2Year






FEATURE

- Aluminium die-casting body + Li-Ion Battery + Micro C
- Tempered glass diffuser
- USB wire × 1M
- Battery: 2 × 1200mAh lithium battery;
- Charge time: 4-4.5 hours (Micro C USB 5V 1A)
- Warranty: 2Year



HN2208



WALL/Bollard

www.suzhou-huaneng.com



HN2074A

L:120 W:90 H:120

Aluminium
body



HN2074

L:120 W:90 H:110



HN2174-ST

L:129 W:102 H:100

Stainless Steel
body



HN2174A-ST

L:129 W:102 H:100



HN2074A+SEN

L:136 W:90 H:140



HN2074+SEN

L:136 W:90 H:110





HN2174+SEN-ST

L:137 W:102 H:102




HN2174A+SEN-ST


L:137 W:102 H:102



HN2074APSH0.5



HN2074PSH0.5



FEATURE:
 STAINLESS STEEL BODY
 DIFFUSER: PC
 LED 0.65W 50LM
 LI-ION:18650 1*1200MAH 3.7V
CE **△** **IP44**